



BEARING MANUFACTURING DE MEXICO, S.A.D...



60 mm x 78 mm x 10 mm NSK 6812DD deep groove ball bearings

Bearing No. 6812DD

6812DD Bearing 2D drawings and 3D CAD models

Size	60x78x10 mm
Bore Diameter	60 mm
Outer Diameter	78 mm
Width	10 mm
d	60 mm
D	78 mm
B	10 mm
C	10 mm
r min.	0,3 mm
da min.	62 mm
da max	64 mm
Da max.	76 mm
ra max.	0,3 mm
Weight	0,103 Kg
Basic dynamic load rating (C)	11,5 kN
Basic static load rating (C0)	10,9 kN
(Grease) Lubrication Speed	4 500 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	0.1
EAN	0029176070808
Product Group	B00308
Enclosure	2 Seals



BEARING MANUFACTURING DE MEXICO,S.A.D...

Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Enclosure Type	Contact Seal
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	60MM Bore; 78MM Outside Diameter; 10MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage;
Other Features	Deep Groove
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.nskamericas.com
Weight / LBS	0.2271
Outside Diameter	3.071 Inch 78 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Outer Race Width	0.394 Inch 10 Millimeter
Bore	2.362 Inch 60 Millimeter
SRI	2.88
hidYobi	6812DD
LangID	1



BEARING MANUFACTURING DE MEXICO,S.A.D...

D_	78
SREX	0.015
B_	10
da min	62
hidTable	ecat_NSRDGB
SRE	2.88
mass	0.103
GRS rpm	4500
ra	0.3
SRIX	0.015
D_a	76
SRIN	-0.015
C0	10.9
fo	16.9
SREN	-0.015
DE_	74.556
Prod_Type3	DGBB_SR_DD
DA_	5.556
bomp	0
Z_	21
yobi	6812DD
C_conv	11500
ALPHA_	0
SDM_	69
r	0.3
KBRG	6191
SBRG	18
DI_	63.444